

THE MORE YOU'VE BEEN LOOKING FOR

The MG ZST was designed with you in mind.

With a full suite of MG Pilot Active Safety Technology including a 360° camera, and a 3-year 100,000 kilometre warranty, the MG ZST offers premium assurance as standard.

Connect to the ultimate in-car experience in the MG ZST through the 10.1" infotainment screen. With Satellite Navigation, Apple CarPlay™ & Android Auto™, and 5 USB ports – two in the front, two in the rear for backseat passengers and one conveniently mounted on the rear-view mirror for your dash cam - it all comes together in the MG ZST.









AN INTERIOR THAT'S SUPERIOR IN EVERY WAY

The interior of the MG ZST is a sight to behold... and experience.

5 spacious seats, with beautiful soft touch materials, improved ergonomics and a class-equaling 10.1" colour touchscreen, offers premium surroundings and a truly immersive driver experience.

Ample Boot Space

With the rear seats down, there's 1,187 L of boot space, and 359 L with the seats up. This represents one of the largest boots in class.

10.1" Infotainment touchscreen Includes Apple CarPlay™ and Android Auto™ functionality.

Full Virtual Instrument Cluster*

Delivers clarity, sophistication and a premium view of your cars performance.

Panoramic Stargazer Sunroof*
Open up with one of the largest
panoramic sunroofs in the small SUV
segment for added elegance, luxury
and viewability.











CORE

VIBE

EXCITE

ESSENCE









Premium technology and stunning good looks start with the ZST Core. Offering MG Pilot Active Safety Technology including a 360 degree camera and smooth high-gloss exterior finishes and signature grille, the ZST Core puts you in the spotlight.

With satellite navigation and a 6-speaker audio system, enjoy every journey with seamless directions and immersive audio. The MG ZST Vibe also offers sleek two-tone machined alloy wheels, adding statement style from head to toe.

The ZST Excite offers sleek refinement at every angle with all the technology you need for an intuitive drive. With the distinct 10.1" colour touchscreen, sophisticated synthetic leather trim and contrast stitching, style comes as standard in the ZST.

Transform your driving experience at the touch of a button with the premium panoramic stargazer sunroof. With heated front seats and a full digital instrument cluster, the ZST Essence not only offers elevated style but premium comfort and convenience.

MG ZST CORE

- 1.5 litre engine
- 17" Alloy wheels
- High-gloss exterior finishes
- MG 'Exclusive' high-gloss grille
- 10.1" Multi-function colour touch screen with Apple CarPlay & Android Auto
- Fabric seats
- Full grain leather steering wheel
- 360 Degree Camera
- Keyless entry & push button start
- LED headlights & Taillights
- MG Pilot Driver Safety Suite
- 4 speaker sound system
- Synthetic leather interior trim with contrast stitching

AS CORE PLUS...

- 17" Two-tone machined alloy wheels
- 6 speaker sound system
- · Rain sensing wipers
- Front Fog lights
- In built satellite navigation
- PU & PVC Seats

AS VIBE PLUS...

- 1.3 litre turbo engine
- High-gloss black finish: Fog Light surround, door mirrors with integrated turn signal,
 Side Sill extensions & rear diffuser
- MG 'Exclusive' high-gloss black grille
- Red brake callipers

AS EXCITE PLUS...

- Alternate design pattern I7" Two-tone machined alloy wheels with Michelin tyres
- 6-way electric driver front seat
- Front seat headrest with red embossed MG Logo
- Front seat heating
- Full digital instrument cluster
- Panoramic Stargazer Sunroof





THE NEW STANDARD IN SAFETY

At MG, innovation runs deep.

So, when it comes to safety, we've gone above and beyond in the ZST by incorporating all the latest safety technology into a single platform we call MG PILOT.

With its 10 Active Driver Safety features as standard, MG PILOT is constantly sensing your surroundings, on the lookout for unseen hazards. With the ability to react autonomously in situations where driver safety is at risk, take comfort that you and your family are backed by a new level in safety intelligence.

With 6 SRS airbags on every grade, the MG ZST is the new standard in safety.













360° DEGREE CAMERA

Provides you with a 360 field of view around the vehicle when reversing.



INTELLIGENT SPEED LIMIT ASSIST

Actively detects speed limit signs and alerts you to your current vehicle speed.



TRAFFIC JAM ASSIST

Detects heavy traffic and automatically follows the vehicle in front, controlling acceleration, braking and steering within the lane.



REAR CROSS TRAFFIC ALERT

Alerts you of approaching vehicles and pedestrians when reversing out of parking spaces.



ADAPTIVE CRUISE CONTROL

Detects the front vehicle position and keeps a safe distance between your ZST and the car in front.



ACTIVE EMERGENCY BRAKING

Senses impending collisions and applies the brakes to help avoid or lessen impact.



LANE KEEP ASSIST

Alerts the driver when the ZST is getting too close to the lane edge.



INTELLIGENT HEADLAMP CONTROL

When driving at night or in low light conditions, the forward-facing camera detects the environmental circumstances and will automatically switch your headlights between regular and high beam for you.



BLIND SPOT DETECTION

Registers objects in hard-to-see areas to help you change lanes safely.



Cylinders 4 3 Cubic capacity (cc) 1498 1349 No. of valves 16 12 Max power (Kw @ rpm) 84 @ 6000 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 230 @1800~4400 Induction Vaturally aspirated with electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) 17" alloy wheel Spare wheel (space saver) 280mm Brake disk diameter (front) 280mm Brake disk diameter (front) 280mm SUSPENSION Front McPherson front suspension Front McPherson front suspension Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	MODEL	CORE	VIBE	EXCITE	ESSENCE
Inline petrol Cylinders 4 3 Cubic capacity (cc) 1498 1349 No. of valves 16 112 Max power (Kw @ rpm) 150 @4500 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 115 @ 5200~5600 Max torque (Nm @ rpm) 150 @4500 115 @ 5200~5600 Turbo charged electronic multipoint direct injection fulrection multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) BRAKES Ventilated front discs Pake disk diameter (front) Brake disk diameter (front) Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Wridth including mirrors (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	ENGINE				
Cubic capacity (cc) No. of valves 16 12 Max power (Kw @ rpm) Max torque (Nm @ rpm) Naturally aspirated with electronic multipoint direct injection full point direct injection Emission standard Emission Emission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) BRAKES Ventilated front discs Rear discs Prake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelsus in place to security cover height (L) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Туре				
No. of valves 16 12 Max power (Kw @ rpm) 84 @ 6000 Max torque (Nm @ rpm) 150 @4500 230 @1800-4400 Max torque (Nm @ rpm) Naturally aspirated with electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) BRAKES Ventilated front discs Parake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Cylinders		4	3	
Max power (Kw @ rpm) Max torque (Nm @ rpm) Iso @4500 Iso @4500 230 @1800~4400 Naturally aspirated with electronic multipoint direct injection fultipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size I7" alloy wheel Spare wheel (space saver) Parke disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Height (mm) 1653 (including luggage rack) Wheelsase in place to security cover height (L) Boot volume with seats in place to security cover height (L) Boot volume with seats in place to security cover height (L) Boot volume with seats in place to security cover height (L)	Cubic capacity (cc)	14	98	I	349
Max torque (Nm @ rpm) Iso @4500 230 @1800-4400 Naturally aspirated with electronic multipoint direct injection direct injection multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size I7" alloy wheel Spare wheel (space saver) BRAKES Ventilated front discs • • • • • • Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I 295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2505 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	No. of valves	I	6		12
Induction Naturally aspirated with electronic multipoint direct injection direct injection multipoint direct injection multipoint direct injection direct injection multipoint direct injection full first injection multipoint direct injection full first injection full first injection multipoint direct injection full first injection ful	Max power (Kw @ rpm)	84 @	6000	115 @ !	5200~5600
Induction electronic multipoint direct injection direct inject injection direct injection direct injection direct injection d	Max torque (Nm @ rpm)	150 @	D4500	230 @1	800~4400
TRANSMISSION Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) • • • • BRAKES Ventilated front discs • • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Induction	electronic r	nultipoint		
Transmission CVT 6-Speed auto FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size I7" alloy wheel Spare wheel (space saver) BRAKES Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Emission standard		Eu	ro 5	
FUEL TANK Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) • • • • • BRAKES Ventilated front discs • • • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	TRANSMISSION				
Capacity (L) 48 45 WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) • • • • BRAKES Ventilated front discs • • • • Rear discs • • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Transmission	CV	Т	6-Spe	ed auto
WHEELS AND TYRES Wheel size 17" alloy wheel Spare wheel (space saver) • • • • BRAKES Ventilated front discs • • • • Brake discs • • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	FUEL TANK				
Wheel size Spare wheel (space saver) BRAKES Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Capacity (L)	48	3	4	15
Spare wheel (space saver) BRAKES Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	WHEELS AND TYRES				
BRAKES Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Wheel size		17" allo	oy wheel	
Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Spare wheel (space saver)	•	•	•	•
Rear discs Brake disk diameter (front) Brake disk diameter (rear) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	BRAKES				
Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Ventilated front discs	•	•	•	•
Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Rear discs	•	•	•	•
SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Brake disk diameter (front)		28	30mm	
Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Brake disk diameter (rear)		28	30mm	
Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	SUSPENSION				
MEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Front		McPherson 1	front suspension	on
Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Rear				-
Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	WEIGHTS				
braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Tare mass			1295	
Length (mm) 4323 Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded		500			
Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	DIMENSIONS				
Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Length (mm)		4	4323	
Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) 359 Boot volume with seats folded 1187	Width including mirrors (mm)	1809			
Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Height (mm)	1653 (including luggage rack)			
Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Wheelbase (mm)	2585			
to security cover height (L) Boot volume with seats folded	Ground clearance (mm)	154			
1187	Boot volume with seats in place to security cover height (L)	359			
	Boot volume with seats folded to window line (L)	1187			

MODEL	CORE VIBE	EXCITE ESSENCE	
CONSUMPTION & EMISSIONS			
City cycle (L/100km)	8.9	9.2	
Highway cycle (L/100km)	5.8	6.2	
Combined cycle (L/100km)	6.9	7.3	
CO2 emissions (g/km)	161	162	

MODEL	CORE	VIBE	EXCITE	ESSENCE
BODY STYLE				
5 door SUV	•	•	•	•
SAFETY				
6 airbags	•	•	•	•
ABS with electronic brake force distribution	•	•	•	•
Emergency brake assist (EBA)	•	•	•	•
Electronic stability program (ESP)	•	•	•	•
Active cornering brake control (CBC)	•	•	•	•
Side impact absorbent door padding (front doors)	•	•	•	•
Pretension and load limiting front seat belts	•	•	•	•
Seatbelt warning indicator lights – front & rear	•	•	•	•
Three rear 3-point seatbelts	•	•	•	•
Hill launch assist	•	•	•	•
Rear seat child restraint anchorage points	•	•	•	•
Automatic door unlocking in accident	•	•	•	•
Automatic activation of hazard lights under emergency braking	•	•	•	•
Ultra-high tensile steel cage body	•	•	•	•
Intrusion minimizing and collapsible steering column	•	•	•	•
SECURITY				
Rolling code transponder immobiliser	•	•	•	•
Visible VIN	•	•	•	•
Internally operated central locking	•	•	•	•
Delayed automatic locking	•	•	•	•
Automatic locking doors and boot (activated by vehicle moving)	•	•	•	•
Door ajar warning	•	•	•	•
Anti-theft alarm	•	•	•	•

MODEL	CORE	VIBE	EXCITE	ESSENCE
MG PILOT				
Adaptive cruise control	•	•	•	•
Forward collision warning	•	•	•	•
Automatic emergency braking	•	•	•	•
Lane departure warning	•	•	•	•
Traffic jam assist	•	•	•	•
Intelligent cruise assist	•	•	•	•
Blind spot detection	•	•	•	•
Rear cross traffic alert	•	•	•	•
Intelligent headlamp control	•	•	•	•
Speed assistance system	•	•	•	•
COMFORT AND CONVENIENCE				
Speed sensitive power steering	•	•	•	•
Remote control central locking	•	•	•	•
Rear parking sensors	•	•	•	•
360 degree surround view camera	•	•	•	•
Electric windows with driver one touch	•	•	•	•
Height adjustable steering wheel	•	•	•	•
Push button start	•	•	•	•
Keyless entry system	•	•	•	•
Remote unlock boot	•	•	•	•
Storage box in the trunk	•	•	•	•
Luggage cover	•	•	•	•
Electrically operated door mirrors with heating	•	•	•	•
HEATING AND VENTILATION				
Electric control air conditioning	•	•	•	•
Front centre armrest	•	•	•	•
Pollen filter	•	•	•	•

TECHNICAL SPECIFICATIONS

MODEL	CORE	VIBE	EXCITE	ESSENCE
ENTERTAINMENT & COMMUNICATION	N			
4 speaker audio system w/ Bluetooth, USB	•			
6 speaker audio system w/ Bluetooth, USB		•	•	•
Sound effect (base)	•	•	•	•
Speed related volume controls	•	•	•	•
10.1" Multi-function colour touch screen with Apple CarPlay & Android Auto	•	•	•	•
12V charger in the front	•	•	•	•
Front 2 USB ports (Lower front console)	•	•	•	•
Front USB port (Rear-view mirror mounted)	•	•	•	•
Rear 2 USB ports	•	•	•	•
Steering wheel audio controls	•	•	•	•
In-built satellite navigation (colour)		•	•	•
INSTRUMENTS				
Analogue instrument cluster	•	•	•	
Virtual instrument cluster				•
Infotainment brightness adjustment	•	•	•	•
Rev counter	•	•	•	•
Water temperature and fuel gauges	•	•	•	•
Distance to next service indicator	•	•	•	•
Trip computer	•	•	•	•
Multi-function digital display in dashboard	•	•	•	•
Direct tyre pressure monitoring system	•	•	•	•
'EPS' Electronic power steering mode adjust	•	•	•	•
SEATING				
Driver's 6 way manually adjustable seats	•	•	•	
Passenger's 4way manually adjustable seat	•	•	•	•
Driver's 6way electrically adjustable seat				•
Front seat heating - driver and passenger				•
Front seat headrest with red embossed MG logo				•
Front center armrest with storage	•	•	•	•
60/40 split folding rear seats with fold flat and multi-tier boot floor	•	•	•	•
Fabric seat	•			
PU & PVC Seat		•	•	•

MODEL	CORE	VIBE	EXCITE	ESSENCE
EXTERIOR FEATURES				
17" alloy wheels	•			
17" two-tone alloy wheels, type J05F		•	•	
17" two-tone alloy wheels, type J05E				•
MG 'exclusive' high-gloss grille	•	•	•	•
High-gloss finish fog light surround	•	•	•	•
High-gloss door mirrors with integrated turn signal (LED)	•	•	•	•
Body coloured door handles with chrome highlights	•	•	•	•
Body coloured rear spoiler	•	•	•	•
High-gloss side sill extensions	•	•	•	•
High-gloss shark fin antenna	•	•	•	•
Wheel arch moulding	•	•	•	•
High-gloss rear diffuser	•	•	•	•
Chrome side window trim	•	•	•	•
Satin silver roof rails	•	•	•	•
Panoramic glass sunroof with sunshade and anti-trap				•
Red brake callipers			•	•
EXTERIOR LIGHTING AND VISIBILITY				
LED headlight with manual height adjustment function	•	•	•	•
Front fog lights		•	•	•
Rear fog light	•	•	•	•
LED 'London Eye' daytime running lights	•	•	•	•
LED taillamp	•	•	•	•
Lights on warning alarm	•	•	•	•
Heated glass rear window with timed cut-off	•	•	•	•
Intermittent rear wiper	•	•	•	•
Intermittent windscreen wipers	•	•	•	•
Rain sensor wiper		•	•	•
Chrome side window trim	•	•	•	•
Automatic headlight illumination system	•	•	•	•
Follow me home delayed headlight illumination	•	•	•	•

MODEL	CORE	VIBE	EXCITE	ESSENCE
INTERIOR FEATURES				
Front door stowage bins with bottle holders	•	•	•	•
Twin front cup holders	•	•	•	•
Front seat back map pockets	•	•	•	•
Courtesy light with delay	•	•	•	•
Boot light	•	•	•	•
Removable luggage cover above boot	•	•	•	•
Front map reading lights	•	•	•	•
Driver and passenger sun visors with vanity mirrors	•	•	•	•
Glovebox	•	•	•	•
Leather trimmed, multifunctional steering wheel with contrast stitching and perforation detail	•	•	•	•
Premium trimmed gear knob with MG badge	•	•	•	•
Synthetic leather interior trim for door facings with contrast stitching detail	•	•	•	•
Satin chrome highlights to door handles, air vents and steering wheel	•	•	•	•

TECHNICAL SPECIFICATIONS

EXTERIOR

Diamond Red† Metallic Brighton Blue† Metallic York White† Non Metallic wsb Pebble Black† Non Metallic Sloane Silver† Metallic







mgmotor.com.fj



MG Motor Fiji offers this information as a general guide to product specifications. All data is believed to be correct as at June 2022; however as product development is an ongoing process, changes may occur from time to time which may not be necessarily reflected herein. Therefore, MG Motor Fiji reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of MG products, you should not rely solely on the information provided in this specification sheet. Dealers are not agents of MG Motor Fiji and have absolutely no authority to bind MG Motor Fiji by an express or implied undertaking or representation. *Fuel consumption results are based on NEDC's standard test procedure to provide customers with a basis for comparison of the performance of vehicles in accordance with ADR 81/02 only. No test can simulate all 'real world' driving conditions. Actual on-road fuel consumption will vary due to factors such as traffic conditions, vehicle conditions and load, fuel quality and how the vehicle is driven. ^3 years or 100,000 kms, whichever comes first. Warranty terms, conditions and exclusions at www.mgmotor.com.fi/warranty. More information at www. greenvehicleguide.gov.au. †Colours in this brochure may vary to those on the vehicle. Updated June 2022.